

Akari

LIGHTING HOUSES INTO HOMES



PRICELIST 2021

GENERAL LIGHTING

www.akari.com.ph

PREMIERE LED



ITEM CODE	DESCRIPTION	SRP.
APLED3-3DL	3W, 6500K, Daylight, 240 lumens A45, E27, 30,000HRS 220-240VAc 50/60Hz	P 79.75
APLED3-3WW	3W, 3000K, Warm White, 220 lumens A45, E27, 30,000HRS 220-240VAc 50/60Hz	P 79.75
APLED3-5DL	5W, 6500K, Daylight, 450 lumens A50, E27, 30,000HRS 220-240VAc 50/60Hz	P 99.75
APLED3-5WW	5W, 3000K, Warm White, 400 lumens A50, E27, 30,000HRS 220-240VAc 50/60Hz	P 99.75
APLED3-7DL	7W, 6500K, Daylight, 650 lumens A60, E27, 30,000HRS 220-240VAc 50/60Hz	P 119.75
APLED3-7WW	7W, 3000K, Warm White, 600 lumens A60, E27, 30,000HRS 220-240VAc 50/60Hz	P 119.75
APLED3-10DL	10W, 6500K, Daylight, 820 lumens A70, E27, 30,000HRS 220-240VAc 50/60Hz	P 139.75
APLED3-10WW	10W, 3000K, Warm White, 760 lumens A70, E27, 30,000HRS 220-240VAc 50/60Hz	P 139.75
APLED3-15DL	15W, 6500K, Daylight, 1350 lumens A70, E27, 30,000HRS 220-240VAc 50/60Hz	P 269.75
APLED3-15WW	15W, 3000K, Warm White, 1290 lumens A70, E27, 30,000HRS 220-240VAc 50/60Hz	P 269.75
APLED3-20DL	20W, 6500K, Daylight, 1800 lumens A80, E27, 30,000HRS 220-240VAc 50/60Hz	P 389.75
APLED3-20WW	20W, 3000K, Warm White, 1600 lumens A80, E27, 30,000HRS 220-240VAc 50/60Hz	P 389.75

VALUE PACK



ITEM CODE	DESCRIPTION	SRP.
APLED3-5DL-VP2	5W, 6500K, Daylight, 450 lumens A50, E27, 30,000HRS 220-240VAc 50/60Hz	P 299.75
APLED3-7DL-VP2	7W, 6500K, Daylight, 650 lumens A60, E27, 30,000HRS 220-240VAc 50/60Hz	P 359.75
APLED3-10DL-VP2	10W, 6500K, Daylight, 820 lumens A60, E27, 30,000HRS 220-240VAc 50/60Hz	P 399.75
APLED3-15DL-VP2	15W, 6500K, Daylight, 1350 lumens A70, E27, 30,000HRS 220-240VAc 50/60Hz	P 569.75

LED CANDLE BULB

ITEM CODE	DESCRIPTION	SRP.
ACT-3D14C	3W, 6500K, Daylight, 230 lumens E14, Clear, 20,000HRS 220-240VAc 50/60Hz	P 149.75
ACT-3W14C	3W, 3000K, Warm White, 180 lumens E14, Clear, 20,000HRS 220-240VAc 50/60Hz	P 149.75
ALED-CT3DL-E14	3W, 6500K, Daylight, 230 lumens E14, Frosted, 20,000HRS 220-240VAc 50/60Hz	P 149.75
ALED-CT3WW-E14	3W, 3000K, Warm White, 210 lumens E14, Frosted, 20,000HRS 220-240VAc 50/60Hz	P 149.75
ALED-CT3DL-E27	3W, 6500K, Daylight, 240 lumens E27, Frosted, 20,000HRS 220-240VAc 50/60Hz	P 149.75
ALED-CT3WW-E27	3W, 3000K, Warm White, 210 lumens E27, Frosted, 20,000HRS 220-240VAc 50/60Hz	P 149.75

GENERAL LIGHTING

LED GLOBE BULB



ITEM CODE	DESCRIPTION	SRP.
ALED-GB13DL	13W, 6500K, Daylight, 950 lumens Frosted, Ø95mmx128mm 220-240VAc 50/60Hz	P 299.75
ALED-GB17DL	17W, 6500K, Daylight, 1350 lumens Frosted, Ø120mmx152mm 220-240VAc 50/60Hz	P 499.75

LED CAPSULE BULB



ITEM CODE	DESCRIPTION	SRP.
ACB-Y16DL	16W, 6500K Daylight, 1830 Lumens E27, Ø80x156mm, 20,000HRS 220-240VAc 50/60Hz	P 299.75
ACB-Y24DL	24W, 6500K Daylight, 2310 lumens E27, Ø90x172mm, 20,000HRS 220-240VAc 50/60Hz	P 399.75
ACB-Y36DL	36W, 6500K Daylight, 3980 lumens E27, Ø120x221mm, 20,000HRS 220-240VAc 50/60Hz	P 699.75

CEILING LAMP FIXTURE



ITEM CODE	DESCRIPTION	SRP.
ACF-MX101	Ceiling fixture 2 x E27 (BULB NOT INCLUDED)	P 469.75
ACF-MX501	Ceiling fixture 3 x E27 (BULB NOT INCLUDED)	P 949.75

DIY MODULE



ITEM CODE	DESCRIPTION	SRP.
ACL-DIYR12D	12W, 6500K, Daylight, 420 lumens 220-240VAc 50/60 Hz, Ø130mm Aluminum + PS	P 199.75
ACL-DIYR18D	18W, 6500K, Daylight, 610 lumens 220-240VAc 50/60 Hz, Ø160mm Aluminum + PS	P 249.75
ACL-DIYR24D	24W, 6500K, Daylight, 740 lumens 220-240VAc 50/60 Hz, Ø170mm Aluminum + PS	P 299.75
ACL-DIYR28D	28W, 6500K, Daylight, 1250lumens 220-240VAc 50/60 Hz, Ø230mm Aluminum + PS	P 499.75

LED DIRECTIONAL SPOTLIGHT



ITEM CODE	DESCRIPTION	SRP.
ADWN-K3DL	3W, 6500K, Daylight, 240 lumens IP20, Aluminum, 220-240VAc 50/60Hz Outer: Ø85mm Cutting hole: Ø70mm	P 249.75
ADWN-K3WW	3W, 3000K, Warm White, 230 lumens IP20, Aluminum, 220-240VAc 50/60Hz Outer: Ø85mm Cutting hole: Ø70mm	P 249.75
ADWN-K5DL	5W, 6500K, Daylight, 450 lumens IP20, Aluminum, 220-240VAc 50/60Hz Outer: Ø110mm Cutting hole: Ø90mm	P 379.75
ADWN-K5WW	5W, 3000K, Warm White, 435 lumens IP20, Aluminum, 220-240VAc 50/60Hz Outer: Ø110mm Cutting hole: Ø90mm	P 379.75

T8 LED LITEBOX



ITEM CODE	DESCRIPTION	SRP.
ALED-FT89DL	9W, 6500K, Daylight, 800 lumens 25,000HRS, 220-240VAc 50/60Hz, 120° 610mmx50mm	P 419.75
ALED-FT818DL	18W, 6500K, Daylight, 1700 lumens 25,000HRS, 220-240VAc 50/60Hz, 120° 1220mmx50mm	P 519.75

T8 LED PLASTIC TUBE



ITEM CODE	DESCRIPTION	SRP.
ALED-T89DL	9W, 6500K, Daylight, 900 lumens 25,000HRS, 220-240VAc 50/60Hz 600mmxØ30mm, 120°	P 349.75
ALED-T818DL	18W, 6500K, Daylight, 1800 lumens 25,000HRS, 220-240VAc 50/60Hz 1200mmxØ30mm, 120°	P 449.75

T5 LED SHADOWLESS



ITEM CODE	DESCRIPTION	SRP.
ALED-T54DL	4W, 6500K, Daylight, 350 lumens 120°, 30,000HRS, 300x24x35mm 220-240VAc 50/60Hz	P 199.75
ALED-T54WW	4W, 3000K, Warm white, 300 lumens 120°, 30,000HRS, 300x24x35mm 220-240VAc 50/60Hz	P 199.75


GENERAL LIGHTING

T5 LED SHADOWLESS



ITEM CODE	DESCRIPTION	SRP.
ALED-T59DL	9W, 6500K, Daylight, 410 lumens 120°, 30,000HRS, 600x24x35mm 220-240V _{AC} 50/60Hz	P 249.75
ALED-T59WW	9W, 3000K, Warm white, 370 lumens 120°, 30,000HRS, 600x24x35mm 220-240V _{AC} 50/60Hz	P 249.75
ALED-T512DL	12W, 6500K, Daylight, 590 lumens 120°, 30,000HRS, 900x24x35mm 220-240V _{AC} 50/60Hz	P 279.75
ALED-T512WW	12W, 3000K, Warm white, 550 lumens 120°, 30,000HRS, 900x24x35mm 220-240V _{AC} 50/60Hz	P 279.75
ALED-T516DL	16W, 6500K, Daylight, 800 lumens 120°, 30,000HRS, 1200x24x35mm 220-240V _{AC} 50/60Hz	P 299.75
ALED-T516WW	16W, 3000K, Warm white, 750 lumens 120°, 30,000HRS, 1200x24x35mm 220-240V _{AC} 50/60Hz	P 299.75

MIRRORIZED LIGHTING LUMINAIRES ECONOMY SERIES *(without cover)*



ITEM CODE	DESCRIPTION	SRP.
AML-240RF	2x36W, without ballast Size: (L)1198 x (W)298 x (H) 75mm	P 2,699.75
AML-220RF	2x18W, without ballast Size: (L)598 x (W)298 x (H) 75mm	P 2,199.75
AML-040SF	1x36W, without ballast Size: (L)1220 x (W)185 x (H) 75mm	P 2,249.75
AML-240SF	2x36W, without ballast Size: (L)1220 x (W)298 x (H) 75mm	P 2,999.75
AML-220SF	2x18W, without ballast Size: (L)610 x (W)298 x (H) 75mm	P 2,299.75

2 in 1 LOW PROFILE DOWNLIGHT

ITEM CODE	DESCRIPTION	SRP.
ADWN-FLPR6D	6W, Daylight, 6500K, 390 lumens 30,000HRS, 220-240V _{AC} 50/60Hz Surface Type: Ø120 x H25mm Recessed Type: Ø120 x H12mm	P 329.75
ADWN-FLPR12D	12W, Daylight, 6500K, 650 lumens 30,000HRS, 220-240V _{AC} 50/60 Hz Surface Type: Ø170 x H25mm Recessed Type: Ø170 x H12mm	P 529.75
ADWN-FLPR18D	18W, Daylight, 6500K, 1680 lumens 30,000HRS, 220-240V _{AC} 50/60 Hz Surface Type: Ø225 x H25mm Recessed Type: Ø225 x H12mm	P 699.75
ADWN-FLPS6D	6W, Daylight, 6500K, 300 lumens 30,000HRS, 220-240V _{AC} 50/60 Hz Surface Type: L120 x W120 x H25mm Recessed Type: L120 x W120 x H12mm	P 359.75
ADWN-FLPS12D	12W, Daylight, 6500K, 740 lumens 30,000HRS, 220-240V _{AC} 50/60 Hz Surface Type: L170 x W170 x H25mm Recessed Type: L170 x W170 x H12mm	P 579.75
ADWN-FLPS18D	18W, Daylight, 6500K, 1625 lumens 30,000HRS, 220-240V _{AC} 50/60 Hz Surface Type: L225 x W225 x H25mm Recessed Type: L225 x W225 x H12mm	P 829.75






PINLIGHT FIXTURE

ITEM CODE	DESCRIPTION	SRP.
APNL-STR3B	3.5" Surface type Vertical Round 1 x E27, Black	P 279.75
APNL-STR4B	4" Surface type Vertical Round 1 x E27, Black	P 329.75
APNL-STR4W	4" Surface type Vertical Round 1 x E27, White	P 329.75
APNL-STS4B	4" Surface type Vertical Square 1 x E27, Black	P 549.75
APNL-STS4W	4" Surface type Vertical Square 1 x E27, White	P 549.75



GENERAL LIGHTING

PINLIGHT FIXTURE

ITEM CODE	DESCRIPTION	SRP.
 APNL-227(VK)	2" Vertical Pinlight fixture 1 x E27 Open type	P 129.75
APNL-327(VK)	3" Vertical Pinlight fixture 1 x E27 Open type	P 169.75
APNL-427(VK)	4" Vertical Pinlight fixture 1 x E27 Open type	P 179.75
APNL-627(VK)	6" Vertical Pinlight fixture 1 x E27 Open type	P 349.75
 APNL-S427	4" Square Vertical Pinlight 1 x E27 Open Type	P 259.75
APNL-227VG-CFK	2" Round Recessed Vertical Center frosted glass 1 x E27	P 199.75
APNL-327VG-CFK	3" Round Recessed Vertical Center frosted glass 1 x E27	P 249.75
 APNL-427VG-CFK	4" Round Recessed Vertical Center frosted glass 1 x E27	P 299.75
APNL-627VG-CFK	6" Round Recessed Vertical Center frosted glass 1 x E27	P 349.75

LED WEATHERPROOF FIXTURE





ITEM CODE	DESCRIPTION	SRP.
AWF-C118	LED T8 Weatherproof Outdoor Fixture 660x75x60mm (1 x 9W)	P 699.75
AWF-C136	LED T8 Weatherproof Outdoor Fixture 1280x75x60mm (1 x 18W)	P 899.75
AWF-C236	LED T8 Weatherproof Outdoor Fixture 1280x110x65mm (2 x 18W)	P 1,199.75

TRACKLIGHT FIXTURE

ITEM CODE	DESCRIPTION	SRP.
 ATLF-CMW	IP20, GU5.3, White Aluminum Material Diameter: 58mm Surface type	P 299.75
 ATLF-CMB	IP20, GU5.3, Black Aluminum Material Diameter: 58mm Surface type	P 299.75

ENDURA WEATHERPROOF OUTDOOR LIGHTING FIXTURE

ITEM CODE	DESCRIPTION	SRP.
 AOF-001	Endura Compact Road Lighting 1 x E27 (Up to 36W Max), IP65 (Lamp not included)	P 1,199.75
 AOF-005	Endura All Weather Road Lighting With Photo Sensor 1 x E27 (Up to 45W Max), IP65 (Lamp not included)	P 1,849.75

WALL LIGHT FIXTURE

ITEM CODE	DESCRIPTION	SRP.
 AOF-WLE271	Outdoor Fixture Wall Light 1 x E27, 60W (max) IP65, 90x160mm 220-240VAC 50/60Hz	P 999.75
 AOF-WLE272	Outdoor Fixture Wall Light 2 x E27, 60W (max) IP65, 90x260mm 220-240VAC 50/60Hz	P 1,199.75

GARDEN LAMP FIXTURE

ITEM CODE	DESCRIPTION	SRP.
 AGL-001	Multidirectional Outdoor Garden Lamp Screw on, 1 x E27 Par 38 (Lamp not included)	P 289.75
 AGL-004	Multidirectional Outdoor Garden Lamp Spike Type, 1 x E27 Par 38 (Lamp not included)	P 299.75

GENERAL LIGHTING

EMERGENCY LIGHT

ITEM CODE	DESCRIPTION	SRP.
AELG-L422	LED Mini Emergency Light 2W, 6500K Daylight, 210 lumens 3.7V 1200mAh Lithium Battery 220-240VAC 50/60Hz Charging Time: 24 hrs Operating Time: 8 hrs (High) 13 hrs (Low)	P 599.75
AELG-L423	LED Emergency Light 2x2W LED, 300 lumens 4V 2000mAh Sealed Lead Acid Battery 220-240VAC 50/60Hz Charging Time: 48 hrs Operating Time: 7 hrs (Double head) 11 hrs (Single head)	P 899.75
AEL-7013	LED Emergency Light 2x2W, 400 Lumens 4V 2000mAh Lead Acid Battery 220-240VAC 50/60Hz Charging Time: 24 hrs Operating Time: 3 hrs	P 999.75
AELG-L412	LED Heavy Duty Emergency Light 2x4W, SMD LED, 1200 Lumens 6V 4Ah Sealed Lead Acid Battery 220-240VAC 50/60Hz Charging Time: 24 hrs Operating Time: 4 hrs (Double lamp) 7 hrs (Single lamp)	P 1,499.75
AELG-L427	LED Heavy Duty Emergency Light 2x4W LED, 850 lumens 6V 4000mAh Sealed Lead Acid Battery 220-240VAC 50/60Hz Charging Time: 24 hrs Operating Time: 7 hrs (Double lamp) 14 hrs (Single lamp)	P 1,999.75
AELG-L420	LED Ultrabright Emergency Light 2x15W SMD LED, 2600 lumens 6V 4.5Ah Lead-Acid Battery 220-240VAC 50/60Hz Charging Time: 24 hrs Operating Time: 3 hrs (Double lamp) 4 hrs (Single lamp)	P 2,499.75

LED DESK LAMP

ITEM CODE	DESCRIPTION	SRP.
ADL-1410	Desk Lamp with 3-AA battery slots (battery not included) 6500K, 85 lumens, 5V, Flexible arm 110x130x350mm	P 399.75

DESK LAMP FIXTURE

		
ITEM CODE	DESCRIPTION	SRP.
ADL-SBK108	Desk Lamp Fixture with clip	P 379.75
ADL-SB108	E27, 2 Pin flat plug	
ADL-SP108	1m cable length 2x0.5mm ²	
ADL-M108	220-240VAC 50/60Hz, 40W Max Black, Blue, Pink, White	
		
ADL-MJBK920	Desk Lamp Fixture with pen holder	P 389.75
ADL-SJB927	E27, 2 Pin flat plug	
ADL-SJP927	1m cable length 2x0.5mm ²	
ADL-SJW927	220-240VAC 50/60Hz, 40W Max Black, Blue, Pink, White	
	ADL-OM218W ADL-OM218BK	P 499.75
	Desk Lamp Fixture E27, 2 Pin flat plug 1.2m cable length 2x0.5mm ² 220-240VAC 50/60Hz, 40W Max White, Black	
	ADL-U620	P 679.75
	Unicorn Desk Lamp Fixture E27, 2 Pin flat plug 1.2m cable length 2x0.5mm ² 220-240VAC 50/60Hz, 40W Max White w/ Pink	

LED DESK LAMP WITH FAN

ITEM CODE	DESCRIPTION	SRP.
ADL-5032FW	Rechargeable 2 in 1 LED Desk Lamp + Fan	P 899.75
ADL-5032FP	3W, 6500K, DC 5V	
ADL-5032FG	3.7V 2200mAh Li-Ion Battery	
	Charging Time: 5 hrs	
	Operating Time: Fan: 2.5 hrs (High)	
	4 hrs (Mid)	
	8 hrs (Low)	
	LED: Up to 20 hrs	
	Fan + LED: 1.5 hrs (High)	
	2.25 hrs (Mid)	
	3 hrs (Low)	
	Color: White, Pink, Green	

ELECTRICAL ACCESSORIES

www.akari.com.ph

ZEN SERIES

 <p>AWD-Z8101-1 1 Gang 1 Way Switch with Luminous, 250V, 10A P 99.75</p>	 <p>AWD-Z8101-2 2 Gang 1 Way Switch with Luminous, 250V, 10A P 139.75</p>	 <p>AWD-Z8101-3 3 Gang 1 Way Switch with Luminous, 250V, 10A P 169.75</p>	 <p>AWD-Z8201 2 Gang 3 Pin Universal Socket with grounding 250V, 16A P 169.75</p>	 <p>AWD-Z8204 2 Gang Multi Purpose Outlet 250V, 16A P 179.75</p>	 <p>AWD-Z8202-3 3 Gang 2 Pin Universal Socket, 250V, 16A P 199.75</p>
 <p>AWD-Z8206 1 Gang Dimmer Switch 500W, 250V P 329.75</p>	 <p>AWD-Z8205 1 Gang AC Outlet 20A 250V P 129.75</p>	 <p>AWD-Z8202 2 Gang 2 Pin Universal Socket 250V, 16A P 149.75</p>	 <p>AWD-Z8207 TV (End Type) and Telephone Outlet (CAT-3) Outlet P 179.75</p>	 <p>AWD-Z8204-U 2 x 5V 2.1A USB and Multi-purpose outlet 250V, 16A P 599.75</p>	 <p>AWD-Z888G GFCI 250V, 20A P 999.75</p>

MODULES

 <p>AWD-Z8205-A AC Outlet Medium, 250V, 20A P 69.75</p>	 <p>AWD-Z8204-A Multi-Purpose Outlet Medium, 250V, 16A P 69.75</p>	 <p>AWD-Z8202-A 2 Pin Universal Socket Small, 250V, 16A P 59.75</p>	 <p>AWD-Z8201-A Duplex Universal Grounding Outlet Large, 250V, 16A P 99.75</p>
 <p>AWD-Z8TV Television Outlet (end type) P 69.75</p>	 <p>AWD-Z8TEL Telephone Outlet (CAT-3) P 69.75</p>	 <p>AWD-Z8DL DATA / LAN Outlet (CAT-5) P 69.75</p>	 <p>AWD-Z8DIM Dimmer Switch only Medium, 500W P 269.75</p>
 <p>AWD-Z82USB 2 x 5V 2.1A USB Outlet Medium P 489.75</p>	 <p>AWD-Z8101-L 1 Way Switch Module Large, 250V, 10A P 49.75</p>	 <p>AWD-Z8101-M 1 Way Switch Module Medium, 250V, 10A P 49.75</p>	 <p>AWD-Z8101-S 1 Way Switch Module Small, 250V, 10A P 49.75</p>
 <p>AWD-Z8PB Push Button Switch Large, 250V, 10A P 59.75</p>	 <p>AWD-Z8103-L 3 Way Switch Module Large, 250V, 10A P 59.75</p>	 <p>AWD-Z8103-M 3 Way Switch Module Medium, 250V, 10A P 56.75</p>	 <p>AWD-Z8103-S 3 Way Switch Module Small, 250V, 10A P 53.75</p>

ELECTRICAL ACCESSORIES

PLATE COVER

		
AWD- Z80GP 1 Gang Cover (Small Frame) P 79.75	AWD-Z82GP 2 Gang Cover (Small Frame) P 64.75	AWD-Z01BP Blank Plate Cover P 64.75
		
AWD-Z81GP 1 Gang Cover (Medium Frame) P 69.75	AWD-Z83GP 3 Gang Cover (Large Frame) P 59.75	AWD-Z02WP Square WeatherProof Plate Cover P 149.75





FLOOR OUTLET

ITEM CODE	DESCRIPTION	SRP.
 AFO-F41SA	Duplex Multipurpose Slow Pop-Up Grounding outlet 16A 250V (stainless)	P 1,899.75




ACCESSORIES

ITEM CODE	DESCRIPTION	SRP.
 ADB-002	Door Chime 220-240VAc 50/60Hz	P 549.75
 AEB-B5	Electric Bell 6 inches 220-240VAc 50/60Hz	P 1,199.75

AUTOMATIC VOLTAGE REGULATOR

ITEM CODE	DESCRIPTION	SRP.
 AVR-SVC 500	Automatic Voltage Regulator 500W Servo Motor with 5 Outlets 110 and 220VAc 50/60Hz	P 3,779.75
 AVR-SVC 1000	Automatic Voltage Regulator 1000W Servo Motor with 5 Outlets 110 and 220VAc 50/60Hz	P 4,749.75
 AVR-SVC 1500	Automatic Voltage Regulator 1500W Servo Motor with 5 Outlets 110 and 220VAc 50/60Hz	P 4,999.75
 AVR-SVC 2000	Automatic Voltage Regulator 2000W Servo Motor with 3 Outlets 110 and 220VAc 50/60Hz	P 8,999.75


AUTOMATIC VOLTAGE REGULATOR

ITEM CODE	DESCRIPTION	SRP.
 AVR-SVC 3000	Automatic Voltage Regulator 3000W Servo Motor with 3 Outlets 110 and 220VAc 50/60Hz	P 11,499.75
 AVR-SVC 5000	Automatic Voltage Regulator 5000W Servo Motor with 3 Outlets 110 and 220VAc 50/60Hz	P 19,799.75
 AVR-SVC 10000	Automatic Voltage Regulator 10000W Servo Motor with 3 Outlets 110 and 220VAc 50/60Hz	P 25,999.75

DISTRIBUTION BOX

ITEM CODE	DESCRIPTION	SRP.
 ADB-FG1115	AKARI Metal Distribution box with gray ABS cover Steel based and 2P Busbar 11-15Ways, 50-60Hz Box Size: 309 x 190 x 78 mm Cover Size: 321 x 210 x 98 mm	P 1,099.75
 ADB-FG1921	AKARI Metal Distribution box with gray ABS cover Steel based and 2P Busbar 19-21Ways, 50-60Hz Box Size: 420 x 190 x 78 mm Cover Size: 429 x 210 x 98 mm	P 1,499.75

CIRCUIT BREAKER

ITEM CODE	DESCRIPTION	SRP.
 ACBR-GEP-2P15A	2P, Circuit Breaker Plug-in 15A	P 429.75
ACBR-GEP-2P20A	2P, Circuit Breaker Plug-in 20A	P 429.75
ACBR-GEP-2P30A	2P, Circuit Breaker Plug-in 30A	P 429.75
ACBR-GEP-2P40A	2P, Circuit Breaker Plug-in 40A	P 429.75
ACBR-GEP-2P60A	2P, Circuit Breaker Plug-in 60A	P 429.75

CIRCUIT BREAKER



ITEM CODE	DESCRIPTION	SRP.
ACBR2-GEP-2P15A	2P,Mini Circuit Breaker Rail type 15A	P 299.75
ACBR2-GEP-2P20A	2P,Mini Circuit Breaker Rail type 20A	P 299.75
ACBR2-GEP-2P30A	2P,Mini Circuit Breaker Rail type 30A	P 299.75
ACBR2-GEP-2P60A	2P,Mini Circuit Breaker Rail type 60A	P 379.75
ACBR2-GEP-2P100A	2P,Mini Circuit Breaker Rail type 100A	P 879.75

EXHAUST FAN



ITEM CODE	DESCRIPTION	SRP.
AEF-8C	Ceiling Exhaust Fan 8", 25W	P 1,649.75
AEF-10C	Ceiling Exhaust Fan 10", 30W	P 1,799.75
AEF-12C	Ceiling Exhaust Fan 12", 35W	P 2,499.75
AEF-R8C	Ceiling Exhaust Fan 8", 15W	P 1,599.75
AEF-R10C	Ceiling Exhaust Fan 10", 28W	P 1,999.75
AEF-S10W	Wall Exhaust Fan 10", 28W	P 1,899.75
AEF-S12W	Wall Exhaust Fan 12", 38W	P 2,199.75
AEF-8W	Wall Exhaust Fan 8", 25W	P 1,449.75
AEF-10W	Wall Exhaust Fan 10", 30W	P 1,549.75
AEF-12W	Wall Exhaust Fan 12", 42W	P 1,699.75
AEF-14W	Wall Exhaust Fan 14", 47W	P 1,999.75

EXTENSION CORD



ITEM CODE	DESCRIPTION	SRP.
AEC-8802N	3 Gang Extension Cord 3 Meters Cable 6A, 1500W Maximum Load Capacity 250VAc 50/60Hz	P 189.75
AEC-H303	3 Gang Extension Cord 3 Meters Cable and metal bracket 10A, 2500W Maximum Load Capacity 250VAc 50/60Hz	P 299.75
AEC-H2010	4 Gang Extension Cord 10 Meters Cable 10A, 2500W Maximum Load Capacity 250VAc 50/60Hz	P 699.75
AEC-917	5 Gang Extension Cord with Surge Protection & Light Indicator 3 Meters Cable with Switch 10A, 2500W Maximum Load Capacity 250VAc 50/60Hz	P 649.75
AEC-918	6 Gang Extension Cord with Surge Protection and Light Indicator 3 Meters Cable with Switch 10A, 2500W Maximum Load Capacity 250VAc 50/60Hz	P 699.75





USB EXTENSION CORD



ITEM CODE	DESCRIPTION	SRP.
AEC-7673U	3 Gang Extension Cord + 3 USB Port 3 Meters Cable, 5V 2.1A USB Port 2000W Maximum Load Capacity 250VAc 50/60Hz	P 849.75
AEC-923	5 Gang Extension Cord with Individual Switches 5V 2A USB Port 6A 1500W Maximum Load Capacity 250VAc 50/60Hz	P 1,199.75
AEC-H1013	8 Gang Extension Cord 3 meters cable, 2A USB Port 10A, 2500W Maximum Load Capacity On-Off Switch with Overload Protection 250VAc 50/60Hz	P 799.75

ELECTRICAL ACCESSORIES


ADAPTOR


ITEM CODE	DESCRIPTION	SRP.
 AUA-001-BP	1 Gang Multipurpose Socket Adaptor 10A 250VAc 50/60Hz	P 59.75
 AEC-8801-BP	3 Gang Octopus Adaptor 1 Universal & 2 pin flat outlet 10A Adaptor 250VAc 50/60Hz	P 69.75
 AOA-001	3 Gang Octopus Adaptor 2 Universal and 1 Multipurpose Sockets 2000W Maximum Load Capacity 10A 250VAc 50/60Hz	P 289.75
 AOA-002	2 Gang Octopus Adaptor with Multipurpose Sockets and Switch 10A 2000 Maximum Load Capacity 250VAc 50/60Hz	P 299.75


MOSQUITO KILLER


ITEM CODE	DESCRIPTION	SRP.
 AEMK-ZB110	10W Mosquito Killer 1 x T8 F10W Tube Coverage Area: 40 SQM Killing Voltage: 2000-2200V 220-240VAc 50/60Hz	P 1,799.75
 AEMK-S20W	Electric Mosquito Killer 2 x 10W T8 UV-A Tube Coverage Area: 60 SQM Killing Voltage: 1400V 220-240VAc 50/60Hz	P 1,499.75
 AEMK-S30W	Electric Mosquito Killer 2 x 15W T8 UV-A Tube Coverage Area: 80 SQM Killing Voltage: 1400V 220-240VAc 50/60Hz	P 1,829.75

MOSQUITO KILLER

ITEM CODE	DESCRIPTION	SRP.
 AEMK-849	Smart Insect Killer 1 x 4W UV Tube Coverage Area: 20 SQM Killing Voltage: 1000-1200V 220-240VAc 50/60Hz	P 899.75

 AEMK-899	Electric Mosquito Killer 6W T5 G5 BIPIN Coverage Area: 80 SQM Killing Voltage: 1400V 220-240VAc 50/60Hz	P 999.75
---	---	-----------------

 AEMK-S8808	Electric Mosquito Killer 1 x 10W T8 UV Tube Coverage Area: 50 SQM Killing Voltage: 1800-2000V 220-240VAc 50/60Hz	P 2,899.75
---	--	-------------------

 AEMKS-K006	Electric Mosquito Swatter 4V 350mAh Lead Acid Battery Charging Time: 10 hrs Operating Time: 6 hrs Zapping Voltage: 2500V 220-240V 50/60Hz	P 349.75
--	--	-----------------

REPLACEMENT LAMP (Mosquito Killer)

ITEM CODE	DESCRIPTION	SRP.
 AEMK-849L	Replacement Tube for AEMK-849L	P 129.75
 AEMK-SL10W	10W Replacement Tube for AEMK-S20W / ZB110 / S8808	P 129.75
 AEMK-SL15W	15W Replacement Tube for AEMK-S30W	P 149.75
 AEMK-899L	6W Replacement Tube for AEMK-899	P 169.75

RECHARGEABLES

www.akari.com.ph

RECHARGEABLE FAN

ITEM CODE

DESCRIPTION

SRP.



ARF-PB03 2W 5V DC **P 499.75**
 3.7 V 1200 mAh Li-Ion Battery
 AC/DC Function, 1200mAh power bank
 Charging Time: 4 hrs
 Operating Time: 1 hr and 40 mins

AJF-5529W 5" Rechargeable Clip Fan, 4W **P 999.75**
AJF-5529B 3.7V 2 x 1300mAh Li-Ion Battery



5V DC Micro USB port, AC/DC Function
 Charging Time: 3 hrs
 Operating Time: 2 hrs (High)
 3 hrs (Mid)
 4 hrs (Low)
 Color: White, Black

RECHARGEABLE FAN WITH LED

ITEM CODE

DESCRIPTION

SRP.

AJF-5519W 4" Square Rechargeable Clip Fan with LED **P 599.75**
AJF-5519P Power Wattage: 6W, AC/DC Function
AJF-5519G 3.7V 1200mAh Lithium battery, 5V DC
AJF-5519PU Charging Time: 4 hrs
 Operating Time: Fan: 2 hrs (High)
 3 hrs (Medium)
 6 hrs (Low)
 LED: 4 hrs
 Fan + LED: 1 hr (High)
 Color: White, Pink, Green, Purple



AJF-5509W 4" Rechargeable Clip Fan with Ring Light **P 999.75**
AJF-5509B Power Wattage: 6W, AC/DC Function
AJF-5509P 3.7V 1500mAh Lithium battery, 5V DC
 Charging Time: 6 hrs
 Operating Time: Fan: 2 hrs (High)
 3 hrs & 30 mins (Medium)
 6 hrs (Low)
 LED: 4 hrs
 Fan + LED: 1 hr (High)
 Color: Gray, Blue, Pink



RECHARGEABLE FAN WITH LED

ITEM CODE

DESCRIPTION

SRP.

ARF-5875 5" Rechargeable LED Cooling Fan **P 799.75**



2.5W Fan
 4V 1600mAh Sealed Lead-Acid Battery
 220-240VAC 50/60Hz
 Charging Time: 16 hrs
 Operating Time: Fan: 3 hrs (High) 5 hrs (Low)
 LED: 4 hrs (High) 6 hrs (Low)

ARF-5873 8" Rechargeable LED Cooling Fan **P 999.75**



360° up and down fan, 2 speed fan, 2-level LED light
 5V 500mA USB port, AC/DC Recharge
 4V 2400mAh Sealed Lead-Acid Battery
 220-240VAC 50/60Hz
 Charging Time: 20 hrs
 Operating Time: Fan: 3 hrs (High), 5 hrs (Low)
 LED: 4 hrs (High), 6 hrs (Low)

ARF-8008 8" Rechargeable Elite LED Fan **P 1,199.75**



with Night Light Function
 4W Fan, 6500K Daylight, AC/DC function
 2x 3.7V 1500mAh Li-Ion Battery
 3 Speed, 5V DC
 Charging Time: 8 hrs
 Operating Time: Fan: Up to 8 hrs
 LED: Up to 20 hrs
 Fan + LED: Up to 3 hrs

ARBF-3509G 8" Rechargeable LED Oscillating Fan **P 1,199.75**
ARBF-3509W with Night Light Function



5W Fan, 6500K Daylight, AC/DC function
 2x 3.7V 1500mAh Li-Ion Battery
 3 Speed, 5V DC
 Charging Time: 8 hrs
 Operating Time: Fan: Up to 8 hrs
 LED: Up to 30 hrs
 Fan + LED: Up to 3 hrs

RECHARGEABLES

RECHARGEABLE FAN & LANTERN

ITEM CODE


DESCRIPTION

SRP.

ARF-5313F

12" Rechargeable Oscillating Fan
20W, AC/DC Function
6V 4.5Ah Sealed Lead-Acid Battery
With Overcharged and Overdischarged Protection
12V DC Port for Solar Charging, 5V 500mA USB Port
220-240VAC 50/60Hz
Charging Time: 24 hrs
Operating Time: 3 hrs (High)
6 hrs (Low)
40 hrs (Night Light)


P 2,899.75



ARF-5314F

14" Rechargeable Oscillating Fan
Max Power: 17W, AC/DC Function
6V 5.5Ah Sealed Lead Acid Battery
With Overcharged and Overdischarged Protection
12V DC Port for Solar Charging, 5V 500mA USB Port
220-240VAC 50/60Hz
Charging Time: 24 hrs
Operating Time: 3 hrs (High)
10 hrs (Sleep mode)
40 hrs (Night light)

P 2,999.75



ARBF-5913

12" Rechargeable Jumbo Box Fan
Power: 50W, AC/DC Function
12V 7Ah Sealed Lead Acid Battery
220-240VAC 50/60Hz
Charging Time: 8 hrs
Operating Time: Fan + LED: Up to 7 hrs
Fan: Up to 8 hrs
LED: Up to 50 hrs
Remote Control Distance: Up to 5 meters

P 5,399.75



RECHARGEABLE STAND FAN

ITEM CODE

DESCRIPTION

SRP.

ARSF-5538F

18" Rechargeable Stand Fan
with Dual Color Night Light Function
40W Fan, with Digital Display, AC/DC function
6500K Daylight, 3000K Warmwhite
12V 4.5Ah Lead-Acid Battery
19 level Speed, 15V DC
220VAC 50/60Hz
Charging Time: 24 hrs
Operating Time: Fan + LED: Up to 4 hrs
LED: Up to 48 hrs
Fan: Up to 12 hrs
Time Control: 1-9 hrs
Remote Control Distance: Up to 10 meters

P 6,249.75



FAN WITH SPEAKER

ITEM CODE

DESCRIPTION

SRP.

ARBF-5512MB

6" Rechargeable Box Fan with
Bluetooth Speaker and Night Light
Max Power: 5W, 6500K, Daylight
AC/DC Function, Powerbank Capacity: 3000mAh
3.7V 2x 1500mAh Lithium Battery
12V DC Port for Solar Charging
Charging Time: 12 hrs
Operating Time: LED + Bluetooth + Fan: Up to 3 hrs
Bluetooth: Up to 40 hrs
LED: Up to 10 hrs
Fan: Up to 5 hrs

P 1,499.75



ARBF-5511R

6" Rechargeable Box Fan
with Radio and Night Light
Max Power: 5W, 6500K, Daylight
AC/DC Function, Powerbank Capacity: 3000mAh
3.7V 2x 1500mAh Lithium Battery
12V DC Port for Solar Charging
Charging Time: 12 hrs
Operating Time: LED + Radio + Fan: Up to 2.5 hrs
Radio: Up to 40 hrs
LED: Up to 10 hrs
Fan: Up to 3 hrs

P 1,599.75



ARBF-5513MB

12" Rechargeable Box Fan
with Bluetooth Speaker
3W LED, 6500K, Daylight
AC/DC Function, Power: 16W
6V 3.5Ah Sealed Lead Acid Battery
With Overcharged and Overdischarged Protection
220-240VAC 50/60Hz
Charging Time: 15 hrs
Operating Time: Fan: 3.5 hrs (High)
6 hrs (Low)
LED: 52 hrs (High)
96 hrs (Low)

P 3,899.75



ARF-312

12" Rechargeable Fan + FM Radio
with Bluetooth Speaker
Power: 13W, 6500K, Daylight
6V 3.5Ah Sealed Lead Acid Battery
3 Speed, 9V DC Port for Solar Charging
220-240VAC 50/60Hz
Charging Time: 15 hrs
Operating Time: Fan + Bluetooth + Radio + LED: 10 hrs
Fan: Up to 15 hrs
LED: Up to 50 hrs
Radio: 30 hrs
Bluetooth: 30 hrs

P 3,899.75



RECHARGEABLES

RECHARGEABLE MIST FAN

ITEM CODE

DESCRIPTION

SRP.

ARMF-12F

Rechargeable Mist Fan with Air Purifier and LED Night Light
 50W, 360° Rotary Wind Direction
 12V 5Ah Sealed Lead-Acid Battery
 Water Tank Capacity: 3 liters Max.
 220-240VAc 50/60Hz
 Charging Time: 20-24 hrs
 Operating Time: Fan: 2 hrs (High)
 5 hrs (Mid)
 10 hrs (Low)
 LED: Up to 50 hrs
 All Functions: Up to 3.5 hrs
 Timer Control: 1-9 hrs
 Remote Control Distance: Approx. 8-10 meters

P 10,649.75



RECHARGEABLE FLASHLIGHT

ITEM CODE

DESCRIPTION

SRP.

ARFL-8901

1W, 70 lumens
 4V 350mAh Sealed Lead Acid battery
 220-240VAc 50/60Hz
 Charging Time: 10 hrs
 Operating Time: 10 hrs (High)
 14 hrs (Low)

P 149.75



ARFL-K8902

2 in 1 Rechargeable Flashlight with sidelight
 1W+ 2W COB 4V 300mAh Sealed Lead-Acid Battery
 220-240VAc 50/60Hz
 Charging Time: 12 hrs
 Operating Time: 6 hrs (Searchlight)
 4 hrs (Sidelight)

P 159.75



ARFL-K8903

1W, LED Flashlight
 4V 400mAh Sealed Lead-Acid Battery
 220-240VAc 50/60Hz
 Charging Time: 12 hrs
 Operating Time: 4 hrs (High)
 6 hrs (Low)

P 179.75



ARFL-831

2W, 4.2V 1200mAh Lithium Battery
 Ø76xL239mm, 220-240VAc 50/60Hz
 Charging Time: 10 hrs
 Operating Time: 3 hrs (High)
 8 hrs (Low)

P 299.75



ARFL-K7788

3W LED Flashlight + 3W Lantern
 4V 800mAh Sealed Lead-Acid Battery
 220-240VAc 50/60Hz
 Charging Time: 12 hrs
 Operating Time: 5 hrs (Flashlight)
 4 hrs (Lantern)

P 349.75



RECHARGEABLE AIR COOLER

ITEM CODE

DESCRIPTION

SRP.

ARFC-12C

Rechargeable Air Cooler with Purifier and LED Night Light
 50W, 360° Rotary Wind Direction
 12V 7.7Ah Sealed Lead-Acid Battery
 Water Tank Capacity: 9 liters
 220-240VAc 50/60Hz
 Charging Time: 24 hrs
 Operating Time: Fan: 3 hrs (High)
 7 hrs (Mid)
 14 hrs (Low)
 LED: Up to 50 hrs
 All Functions: Up to 2 hrs
 Timer Control: 1-9 hrs
 Remote Control Distance: Approx. 5-8 meters

P 16,249.75



RECHARGEABLE NIGHT LIGHT

ITEM CODE

DESCRIPTION

SRP.

ARNL-9910

4 in 1 Multi-Function Night Light with Photo Sensor
 Auto light-up at night with light sensor
 3.7V 600mAh Lithium battery, AC/DC
 220-240VAc 50/60Hz
 Charging Time: 24 hrs
 Operating Time: 3 hrs

P 279.75



4 in 1

BATTERY OPERATED FLASHLIGHT

ITEM CODE

DESCRIPTION

SRP.

ARFL-K1708

2 in 1 LED Battery Operated Flashlight with sidelight, 1W + 2W COB
 2x 1.5V AA battery
 123x54mm
 Operating Time: Up to 8 hrs (Flashlight)
 Up to 5 hrs (Sidelight)

P 179.75






RECHARGEABLES




RECHARGEABLE SOLAR FLASHLIGHT & LANTERN

ITEM CODE	DESCRIPTION	SRP.
ARFL-K1703	2 in 1 LED Rechargeable Solar Flashlight with sidelight, 1W + 2W COB 4V 450mAh Sealed Lead-Acid Battery 3x AA Battery compartment 220-240VAC 50/60Hz Charging Time: 16 hrs Operating Time: 6 hrs (Flashlight) 8 hrs (Side light)	P 299.75
		
ARFL-K1877	2 in 1 LED Rechargeable Solar Flashlight with sidelight 1W+1W sidelight, 40lm (Flashlight), 80lm (Lantern) 4V 300mAh Sealed Lead-Acid Battery 220-240VAC 50/60Hz Charging Time: 12 hrs Operating Time: 4 hrs (Flashlight) 4 hrs (Lantern)	P 199.75
		
ARL-K9821	Rechargeable Lantern and Searchlight with Built-in Solar Panel and Power Bank 1W(Searchlight), 3W(Lantern), 6500K (Daylight) 150lm (Searchlight), 220lm (Lantern) Powerbank Capacity: 700 mAh 4V 700mAh Sealed-Lead Acid Battery 4x AA Battery compartment 220-240VAC 50/60Hz 196x100x53mm Charging time: 12 hrs Operating time: 4 hrs (Searchlight) 3 hrs (Lantern-High) 5 hrs (Lantern-Low)	P 499.75
		
ARL-J305	LED Rechargeable Solar Lantern 3W, 4V 800mAh Sealed Lead Acid Battery 4x AA Battery compartment Solar Power: 0.45W with USB 3.5V 1A 220-240VAC 50/60Hz Charging Time: 16 hrs Operating Time: 4 hrs (High) 6 hrs (Low)	P 659.75
		
AHL-3362	"CYCLOPS" 3W, Head Light with Solar Panel 4.2V 700mAh Sealed Lead-Acid Battery 220-240VAC 50/60Hz Charging Time: 10 hrs (AC), 25 hrs (Solar) Operating Time: 9 hrs (Low) 4 hrs (High)	P 399.75
		

RECHARGEABLE SEARCHLIGHT





ITEM CODE	DESCRIPTION	SRP.
ARL-8629	1W, Rechargeable Flashlight with Dimmable Lantern 4V 1100mAh Sealed Lead-Acid Battery 220-240VAC 50/60Hz 110lm (High), 60lm (Mid), Lantern: Up to 250lm Charging Time: 10 hrs Operating Time: 5 hrs (High) 10 hrs (Low) Lantern: Up to 5 hrs	P 549.75
		
ARL-6608	"NIGHT SHADOW" 15W + 26SMD 4.2V 3500mAh Sealed Lead-Acid Battery 220-240VAC 50/60Hz Charging Time: 10 hrs (AC) Operating Time: 6 hrs (Searchlight) 8 hrs (Lantern)	P 999.75
		
ARL-6652	"SENTINEL" 5W + 12SMD 4.2V 1300mAh Sealed Lead-Acid Battery 220-240VAC 50/60Hz Charging Time: 10 hrs Operating Time: 6 hrs (Searchlight) 8 hrs (Table light)	P 549.75
		

SEALED LEAD-ACID BATTERIES

ITEM CODE	DESCRIPTION	SRP.
ABATT-001	Sealed Lead-Acid Rechargeable Battery 6V 4.5Ah/20HR for: AEML-1618 AEL-2306, 2313, 2390, 2392 AEL 112P, 212P, 312P, 412P AELG 001	P 779.75
		
ABATT-002	Sealed Lead-Acid Rechargeable Battery 12V 9Ah/20HR for: AELG-002	P 2,449.75
		
ABATT-003	Rechargeable Sealed Lead-Acid Battery 4V 4Ah Back-up Battery for: ANXCS503 ANX-212LED AELG-007LED AEL-512P AELG-LED2	P 599.75
		

RECHARGEABLES

RECHARGEABLE BATTERIES

ITEM CODE	DESCRIPTION	SRP.
 ARB1500LB	3.7V 1500mAh Rechargeable Lithium Battery	P 149.75
 ARB-9V	9V Rechargeable Battery	P 399.75
 ARB1100MH-BP2	2 x 1100mAh NiMH AAA Rechargeable Battery	P 199.75
 ARB2800MH-BP2	2 x 2800mAh NiMH AA Rechargeable Battery	P 449.75

BATTERY CHARGER

ITEM CODE	DESCRIPTION	SRP.
 ARBC-9V	3 in 1 Charger with 1x 9V 30mAh NiMH Battery DC 1.4V 120mAh(AA/AAA), DC 9V 30mAh(9V) 220-240VAC 50/60Hz Can charge 2pcs AA/AAA; 1pc 9V NiMH NiMH nad NiCd Rechargeable battery Color: White	P 749.75
 ARBC-803	Automatic Charger with 2x AA 2800mAh NiMH Battery 220-240VAC 50/60Hz Can charge 2pcs AA/AAA Charging Time: 10 hrs Color: White	P 649.75
 ARBC-804	Automatic Charger with 4x AA 2800mAh NiMH Battery 220-240VAC 50/60Hz Can charge 4pcs AA/AAA; 2pcs 9V NiMH Charging Time: 10 hrs Color: White	P 1,099.75
 ARBC-805	Automatic fast charger with LCD display charging status Independent charging indicator With 4x AA 3200mAh NiMH Battery 220-240VAC 50/60Hz Can charge 4pcs AA/AAA Charging Time: 1pc (2.5hrs) 2pcs (4hrs) 3/4pcs (7hrs) Color: Black	P 1,499.75

DIGITAL POWERBANK

ITEM CODE	DESCRIPTION	SRP.
 APB-800L	8000mAh Digital Powerbank Cell type: Li-Polymer Battery Input: 5V/2A Output 1: DC 5V 2.0A Output 2: DC 5V 1.0A Charging Time: 6 hrs 131x68x15mm	P 1,999.75

SOLAR PANEL

ITEM CODE	DESCRIPTION	SRP.
 ASP-12V13W	3W Solar Panel Output: 12V DC 3 meters cord IP54, Black 221x140x18mm Compatible with ARF-5313F ARF-5314F ARBF-5512MB ARBF-5511R	P 649.75

UV-C DISINFECTION

ITEM CODE	DESCRIPTION	SRP.
 AUVB-893	UV-C Sterilization Box Max Power: 9W UV Wavelength: 253.7nm Maximum Capacity: 6.5 inches 2A, DC 5V 225x123x51mm Disinfecting Time: 3 mins	P 799.75
 AUVL-38W	UV-C Disinfection Lamp Max Power: 38W UV Wavelength: 253.7nm Quartz Tube Work Area: 20-50m ² 220-240Vac 50/60Hz Disinfecting Time: 3 mins Timer: 15, 30, 60, 90 mins	P 2,099.75

